antibodies .- online.com







anti-CD7 antibody (AA 24-150)

Images



Overview

| Quantity: | 100 μL |
|----------------------|--------------------------------------------------------------------------------------------------------|
| Target: | CD7 |
| Binding Specificity: | AA 24-150 |
| Reactivity: | Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This CD7 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details

| Purpose: | Polyclonal Antibody to Cluster Of Differentiation 7 (CD7) |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Immunogen: | Recombinant Cluster Of Differentiation 7 (CD7) corresdonding to Gln24~Pro150 |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against CD7. It has been selected for its ability to recognize CD7 in immunohistochemical staining and western blotting. |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |
| Target Details | |
| Target: | CD7 |


Target Details

| rarget Details | |
|---------------------|--------------------------------------------------------------------------------------------------|
| Alternative Name: | CD7 (CD7 Products) |
| Background: | GP40, LEU9, TP41, Tp40, p41 Protein, T-cell Antigen CD7, T-cell Leukemia Antigen, T-cell |
| | surface antigen Leu-9 |
| Pathways: | Cell-Cell Junction Organization |
| Application Details | |
| Application Notes: | Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5- |
| | 20 μg/mL Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
| | date under appropriate storage condition. |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Buffer: | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which |
| | should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without |
| | detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |




Western Blotting

Image 1. Detection of CD7 in Mouse Thymus lysate using Polyclonal Antibody to Cluster Of Differentiation 7 (CD7)



Western Blotting

Image 2. Detection of Recombinant CD7, Mouse using Polyclonal Antibody to Cluster Of Differentiation 7 (CD7)



Immunohistochemistry

Image 3. Detection of CD7 in Mouse Stomach Tissue using Polyclonal Antibody to Cluster Of Differentiation 7 (CD7)