antibodies.com

Datasheet for ABIN7444526 anti-RIPK2 antibody (AA 1-294)

4 Images



Overview

Quantity:	100 µL
Target:	RIPK2
Binding Specificity:	AA 1-294
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RIPK2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

Product Details

Purpose:	Polyclonal Antibody to Receptor Interacting Serine Threonine Kinase 2 (RIPK2)
Immunogen:	Recombinant Receptor Interacting Serine Threonine Kinase 2 (RIPK2) corresdonding to Met1~Leu294
Isotype:	lgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against RIPK2. It has been selected for its ability to recognize RIPK2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7444526 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

Target Details


Target:	RIPK2
Alternative Name:	Receptor Interacting Serine Threonine Kinase 2 (RIPK2 Products)
Background:	CCK, CARD3, CARDIAK, GIG30, RICK, RIP2, CARD-containing interleukin-1 beta-converting enzyme-associated kinase, Receptor-interacting 2, RIP-like-interacting CLARP kinase
Pathways:	TCR Signaling, Neurotrophin Signaling Pathway, Activation of Innate immune Response, Cellular Response to Molecule of Bacterial Origin, Positive Regulation of Immune Effector Process, Toll-Like Receptors Cascades

Application Details

Restrictions:	For Research Use only
	date under appropriate storage condition.
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	20 µg/mL Optimal working dilutions must be determined by end user.
Application Notes:	Western blotting: 0.5-2 μ g/mL Immunohistochemistry: 5-20 μ g/mL Immunocytochemistry: 5-

Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Western Blotting

Image 1. Detection of RIPK2 in Rat Placenta lysate using Polyclonal Antibody to Receptor Interacting Serine Threonine Kinase 2 (RIPK2)

Western Blotting

Image 2. Detection of Recombinant RIPK2, Mouse using Polyclonal Antibody to Receptor Interacting Serine Threonine Kinase 2 (RIPK2)



Immunohistochemistry

Image 3. Detection of RIPK2 in Mouse Kidney Tissue using Polyclonal Antibody to Receptor Interacting Serine Threonine Kinase 2 (RIPK2)

Please check the product details page for more images. Overall 4 images are available for ABIN7444526.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7444526 | 09/09/2023 | Copyright antibodies-online. All rights reserved.