antibodies -online.com





anti-TRAPPC2 antibody (AA 1-140)

2 Images



Go to Product page

Overview


| Quantity: | 100 μL |
|----------------------|--|
| Target: | TRAPPC2 |
| Binding Specificity: | AA 1-140 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This TRAPPC2 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunoprecipitation (IP), Immunohistochemistry (IHC), Immunocytochemistry (ICC) |

Product Details

| Purpose: | Polyclonal Antibody to Trafficking Protein Particle Complex 2 (TRAPPC2) |
|-------------------|--|
| Immunogen: | Recombinant Trafficking Protein Particle Complex 2 (TRAPPC2) corresdonding to Met1~Ser140 |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against TRAPPC2. It has been selected for its ability to recognize TRAPPC2 in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Mouse, Rat |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |


Target Details

| 9 | |
|---------------------|--|
| Target: | TRAPPC2 |
| Alternative Name: | Trafficking Protein Particle Complex 2 (TRAPPC2 Products) |
| Background: | MIP-2A, SEDL, SEDT, TRS20, ZNF547L, Sedlin, Spondyloepiphyseal Dysplasia,Late |
| Application Details | |
| Application Notes: | Western blotting: 0.5-2 μg/mL |
| | Immunohistochemistry: 5-20 μg/mL |
| | Immunocytochemistry: 5-20 μg/mL |
| | Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
| | date under appropriate storage condition. |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Buffer: | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which |
| | should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without |
| | detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant TRAPPC2, Human using Polyclonal Antibody to Trafficking Protein Particle Complex 2 (TRAPPC2)