# antibodies - online.com







# anti-TECTB antibody (AA 18-329)

**Images** 



#### Overview

Quantity:	100 μL
Target:	TECTB
Binding Specificity:	AA 18-329
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TECTB antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## **Product Details**

Purpose:	Polyclonal Antibody to Tectorin Beta (TECTb)
Immunogen:	Recombinant Tectorin Beta (TECTb) corresdonding to Lys18~Leu329
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against TECTb. It has been selected for its ability to recognize TECTb in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

#### **Target Details**

Storage Comment:


Expiry Date:

Larget Details	
Target:	TECTB
Alternative Name:	Tectorin Beta (TECTB Products)
Pathways:	Sensory Perception of Sound
Application Details	
Application Notes:	Western blotting: $0.5-2~\mu g/mL$ Immunocytochemistry in formalin fixed cells: $5-20~\mu g/mL$ Immunohistochemistry in formalin fixed frozen section: $5-20~\mu g/mL$ Immunohistochemistry in paraffin section: $5-20~\mu g/mL$ Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C

detectable loss of activity. Avoid repeated freeze-thaw cycles.


24 months

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without



## **Immunohistochemistry**

Image 1. #VALUE!



## **Western Blotting**

Image 2. Detection of Recombinant TECTb, Human using Polyclonal Antibody to Tectorin Beta (TECTb)