

Datasheet for ABIN7444790  
**anti-ENOX2 antibody (AA 1-207)**[Go to Product page](#)

## 2 Images

## Overview

Quantity:	100 µL
Target:	ENOX2
Binding Specificity:	AA 1-207
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ENOX2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## Product Details

Purpose:	Polyclonal Antibody to Cytosolic Ovarian Carcinoma Antigen 1 (COVA1)
Immunogen:	Recombinant Cytosolic Ovarian Carcinoma Antigen 1 (COVA1) corresponding to Met1~Ala207
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against COVA1. It has been selected for its ability to recognize COVA1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

## Target Details


Target:	ENOX2
Alternative Name:	Cytosolic Ovarian Carcinoma Antigen 1 ( <a href="#">ENOX2 Products</a> )
Background:	APK1, tNOX, ENOX2, Ecto-NOX Disulfide-Thiol Exchanger 2, Tumor-associated hydroquinone oxidase, Hydroquinone [NADH] oxidase, Protein disulfide-thiol oxidoreductase

## Application Details

Application Notes:	Western blotting: 0.5-5 µg/mL Immunohistochemistry: 5-50 µg/mL Immunocytochemistry: 5-50 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



#### Immunohistochemistry

**Image 1.** Detection of COVA1 in Human Stomach Tissue using Polyclonal Antibody to Cytosolic Ovarian Carcinoma Antigen 1 (COVA1)



#### Western Blotting

**Image 2.** Detection of Recombinant COVA1, Human using Polyclonal Antibody to Cytosolic Ovarian Carcinoma Antigen 1 (COVA1)