# antibodies -online.com





# anti-DLG5 antibody (AA 1722-1905)

3 Images



Go to Product page

$\sim$							
	1//	$\Box$	$r \setminus$	/ [	$\bigcirc$	1	٨,


Quantity:	100 μL	
Target:	DLG5	
Binding Specificity:	AA 1722-1905	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This DLG5 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunoprecipitation (IP), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	

## **Product Details**

Purpose:	Polyclonal Antibody to Discs, Large Homolog 5 (DLG5)	
Immunogen:	Recombinant Discs, Large Homolog 5 (DLG5) corresdonding to Asp1722~Asn1905 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against DLG5. It has been selected for its ability to recognize DLG5 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


# **Target Details**

DLG5		
Discs, Large Homolog 5 (DLG5 Products)		
LP-DLG, P-DLG5, PDLG, Discs large protein P-dlg, Placenta and prostate DLG		
Western blotting: 0.5-2 μg/mL		
Immunohistochemistry: 5-20 μg/mL		
Immunocytochemistry: 5-20 μg/mL		
Optimal working dilutions must be determined by end user.		
The thermal stability is described by the loss rate. The loss rate was determined by accelerated		
thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious		
degradation and precipitation were observed. The loss rate is less than 5% within the expiration		
date under appropriate storage condition.		
For Research Use only		
Liquid		
0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.		
ProClin		
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be		
handled by trained staff only.		
4 °C,-20 °C		
Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without		
detectable loss of activity. Avoid repeated freeze-thaw cycles.		
24 months		




# **Western Blotting**

**Image 1.** Detection of DLG5 in PC3 cell lysate using Polyclonal Antibody to Discs, Large Homolog 5 (DLG5)



## **Western Blotting**

**Image 2.** Detection of Recombinant DLG5, Human using Polyclonal Antibody to Discs, Large Homolog 5 (DLG5)



## **Immunohistochemistry**

Image 3. #VALUE!