# antibodies -online.com





# anti-FBLN3 antibody (AA 26-213)





#### Overview

| Quantity:            | 100 μL   |
|----------------------|--|
| Target:              | FBLN3  |
| Binding Specificity: | AA 26-213  |
| Reactivity:          | Human  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This FBLN3 antibody is un-conjugated   |
| Application:         | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

#### **Product Details**

| Purpose:          | Polyclonal Antibody to Fibulin 3 (FBLN3)   |
|-------------------|--|
| Immunogen:        | Recombinant Fibulin 3 (FBLN3) corresdonding to Tyr26~Val213  |
| Isotype:          | IgG  |
| Specificity:      | The antibody is a rabbit polyclonal antibody raised against FBLN3. It has been selected for its ability to recognize FBLN3 in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Mouse, Rat   |
| Purification:     | Antigen-specific affinity chromatography followed by Protein A affinity chromatography   |


### Target Details

| Target:           | FBLN3  |
|-------------------|--|
| Alternative Name: | Fibulin 3 (FBLN3 Products)   |
| Background:       | EFEMP1, DHRD, DRAD, FBNL, MLVT, MTLV, S1-5, EGF-Containing Fibulin-Like Extracellular Matrix Protein 1, Fibrillin-Like, Extracellular protein S1-5 |
| Pathways:         | EGFR Signaling Pathway   |

## Application Details

| Application Notes: | Western blotting: 0.5-2 μg/mL  |
|--------------------|--|
|                    | Immunohistochemistry: 5-20 μg/mL   |
|                    | Immunocytochemistry: 5-20 μg/mL  |
|                    | Optimal working dilutions must be determined by end user.  |
| Comment:           | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
|                    | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious          |
|                    | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
|                    | date under appropriate storage condition.  |
| Restrictions:      | For Research Use only  |
|                    |  |
| Handling           |  |
| Format:            | Liquid   |
|                    |  |

| Format:            | Liquid  |
|--------------------|---|
| Buffer:            | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.   |
| Preservative:      | Sodium azide  |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  |
| Storage:           | 4 °C,-20 °C   |
| Storage Comment:   | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date:       | 24 months   |



#### **Western Blotting**

**Image 1.** Detection of Recombinant FBLN3, Human using Polyclonal Antibody to Fibulin 3 (FBLN3)