antibodies -online.com





anti-BCAT1 antibody (AA 174-386)





Go to Product page

\sim							
0	۱۱/	Δ	r\	/ I		1/	١.
\cup	v	$\overline{}$	ΙV	1	$\overline{}$	٧	٧


Quantity:	100 μL
Target:	BCAT1
Binding Specificity:	AA 174-386
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BCAT1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Branched Chain Aminotransferase 1, Cytosolic (BCAT1)	
Immunogen:	Recombinant Branched Chain Aminotransferase 1, Cytosolic (BCAT1) corresdonding to Gly174~Ser386	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against BCAT1. It has been selected for its ability to recognize BCAT1 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Pig, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


Target Details

9		
Target:	BCAT1	
Alternative Name:	Branched Chain Aminotransferase 1, Cytosolic (BCAT1 Products)	
Background:	BCT1, ECA39, Branched-chain-amino-acid aminotransferase, cytosolic	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	Immunohistochemistry: 5-20 μg/mL	
	Immunocytochemistry: 5-20 μg/mL	
	Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Western Blotting

Image 1. Detection of BCAT1 in Rat Cerebrum lysate using Polyclonal Antibody to Branched Chain Aminotransferase 1, Cytosolic (BCAT1)



Western Blotting

Image 2. Detection of Recombinant BCAT1, Human using Polyclonal Antibody to Branched Chain Aminotransferase 1, Cytosolic (BCAT1)



Immunohistochemistry

Image 3. Detection of BCAT1 in Human Lymph node Tissueusing Polyclonal Antibody to Branched ChainAminotransferase 1, Cytosolic (BCAT1)

Please check the product details page for more images. Overall 4 images are available for ABIN7445060.