# antibodies -online.com





## anti-BCAT1 antibody (AA 179-411)



## **Images**



Go to Product page

( )	1 /	$\sim$	rv	11/	11	Α
	1//	┙	I \/	16	٦,	/\


Quantity:	100 μL	
Target:	BCAT1	
Binding Specificity:	AA 179-411	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This BCAT1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

### **Product Details**

Purpose:	Polyclonal Antibody to Branched Chain Aminotransferase 1, Cytosolic (BCAT1)	
Immunogen:	Recombinant Branched Chain Aminotransferase 1, Cytosolic (BCAT1) corresdonding to Tyr179~Pro411	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against BCAT1. It has been selected for its ability to recognize BCAT1 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


## **Target Details**

9		
Target:	BCAT1	
Alternative Name:	Branched Chain Aminotransferase 1, Cytosolic (BCAT1 Products)	
Background:	BCT1, ECA39, Branched-chain-amino-acid aminotransferase, cytosolic	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	Immunohistochemistry: 5-20 μg/mL	
	Immunocytochemistry: 5-20 μg/mL	
	Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




### **Western Blotting**

**Image 1.** Detection of BCAT1 in Mouse Cerebrum lysate using Polyclonal Antibody to Branched Chain Aminotransferase 1, Cytosolic (BCAT1)



#### **Western Blotting**

**Image 2.** Detection of Recombinant BCAT1, Rat using Polyclonal Antibody to Branched Chain Aminotransferase 1, Cytosolic (BCAT1)



## **Immunohistochemistry**

**Image 3.** Detection of BCAT1 in Rat Heart Tissue using Polyclonal Antibody to Branched Chain Aminotransferase 1, Cytosolic (BCAT1)

Please check the product details page for more images. Overall 6 images are available for ABIN7445063.