antibodies -online.com









Go to Product page

\sim							
	1//	\Box	r۱	/ [\bigcirc	1	٨,

Quantity:	100 μL
Target:	PLCD1
Binding Specificity:	AA 1-234
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PLCD1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Phospholipase C Delta 1 (PLCd1)	
Immunogen:	Recombinant Phospholipase C Delta 1 (PLCd1) corresdonding to Met1~Val234 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against PLCd1. It has been selected for its ability to recognize PLCd1 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Pig, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details


Target:	PLCD1
Alternative Name:	Phospholipase C Delta 1 (PLCD1 Products)
Background:	PLC-III, Phospholipase C-delta-1, Phosphoinositide phospholipase C-delta-1, 1-phosphatidylinositol 4,5-bisphosphate phosphodiesterase delta-1
Pathways:	WNT Signaling, Myometrial Relaxation and Contraction, Regulation of Carbohydrate Metabolic Process

Application Details

Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. #VALUE!