antibodies -online.com









Go to Product page

\sim							
0	۱۱/	Δ	r\	/ I		1/	١.
\cup	v	$\overline{}$	ΙV	1	$\overline{}$	٧	٧

Quantity:	100 μL
Target:	INSM1
Binding Specificity:	AA 278-518
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This INSM1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details


Purpose:	Polyclonal Antibody to Insulinoma Associated Protein 1 (INSM1)	
Immunogen:	Recombinant Insulinoma Associated Protein 1 (INSM1) corresdonding to Lys278~Arg518 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against INSM1. It has been selected for its ability to recognize INSM1 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

Expiry Date:


24 months

Target Details		
Target:	INSM1	
Alternative Name:	Insulinoma Associated Protein 1 (INSM1 Products)	
Background:	IA1, Zinc finger protein IA-1	
Application Details		
Application Notes:	Western blotting: 0.5-2 μ g/mL Immunohistochemistry: 5-20 μ g/mL Immunocytochemistry: 5-20 μ g/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant INSM1, Mouse using Polyclonal Antibody to Insulinoma Associated Protein 1 (INSM1)