



[Go to Product page](#)

Datasheet for ABIN7445219  
**anti-TCEB1 antibody (AA 1-112)**

2 Images

### Overview

Quantity:	100 µL
Target:	TCEB1
Binding Specificity:	AA 1-112
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TCEB1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

### Product Details

Purpose:	Polyclonal Antibody to Elongin C (ELOC)
Immunogen:	Recombinant Elongin C (ELOC) corresponding to Met1~Cys112 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ELOC. It has been selected for its ability to recognize ELOC in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

## Target Details

---

Target:	TCEB1
Alternative Name:	Elongin C ( <a href="#">TCEB1 Products</a> )
Background:	TCEB1, SI, Elo-C, Transcription Elongation Factor B(SIII)Polypeptide 1, Elongin 15 kDa subunit, RNA polymerase II transcription factor SIII subunit C
Pathways:	<a href="#">SARS-CoV-2 Protein Interactome</a>

## Application Details


---

Application Notes:	Western blotting: 0.5-2 µg/mL Immunohistochemistry: 5-20 µg/mL Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

## Handling


---

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



### Immunohistochemistry

**Image 1.** #VALUE!



### Western Blotting

**Image 2.** Detection of Recombinant ELOC, Human using Polyclonal Antibody to Elongin C (ELOC)