

Datasheet for ABIN7445222
anti-CDK18 antibody (AA 144-425)[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	CDK18
Binding Specificity:	AA 144-425
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CDK18 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Cyclin Dependent Kinase 18 (CDK18)
Immunogen:	Recombinant Cyclin Dependent Kinase 18 (CDK18) corresponding to Tyr144~Phe425
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CDK18. It has been selected for its ability to recognize CDK18 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details


Target:	CDK18
Alternative Name:	Cyclin Dependent Kinase 18 (CDK18 Products)
Background:	PCTK3, PCTAIRE, PCTAIRE3, Serine/Threonine-Protein Kinase PCTAIRE-3, Cell division protein kinase 18, PCTAIRE-motif protein kinase 3

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL 1:220-900 Immunohistochemistry: 5-20 µg/mL 1:22-90 Immunocytochemistry: 5-20 µg/mL 1:22-90 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant CDK18, Human using Polyclonal Antibody to Cyclin Dependent Kinase 18 (CDK18)