

Datasheet for ABIN7445225
anti-CDKN1B antibody (AA 2-197)



[Go to Product page](#)

3 Images

Overview

Quantity:	100 µL
Target:	CDKN1B
Binding Specificity:	AA 2-197
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CDKN1B antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Cyclin Dependent Kinase Inhibitor 1B (CDKN1B)
Immunogen:	Recombinant Cyclin Dependent Kinase Inhibitor 1B (CDKN1B) corresponding to Ser2~Thr197
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CDKN1B. It has been selected for its ability to recognize CDKN1B in immunohistochemical staining and western blotting.
Cross-Reactivity:	Guinea Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	CDKN1B
Alternative Name:	Cyclin Dependent Kinase Inhibitor 1B (CDKN1B Products)
Background:	CDKN4, KIP1, P27KIP1, p27, Cyclin-dependent kinase inhibitor p27
Pathways:	Cell Division Cycle , Fc-epsilon Receptor Signaling Pathway , EGFR Signaling Pathway , Neurotrophin Signaling Pathway , Positive Regulation of Peptide Hormone Secretion , Negative Regulation of Hormone Secretion , Sensory Perception of Sound , Mitotic G1-G1/S Phases , DNA Replication , Positive Regulation of Endopeptidase Activity , Synthesis of DNA , Autophagy

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL 1:500-2000 Immunohistochemistry: 5-20 µg/mL 1:50-200 Immunocytochemistry: 5-20 µg/mL 1:50-200 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Western Blotting

Image 1. Detection of CDKN1B in Mouse Cerebrum lysate using Polyclonal Antibody to Cyclin Dependent Kinase Inhibitor 1B (CDKN1B)



Immunohistochemistry

Image 2. #VALUE!



Western Blotting

Image 3. Detection of CDKN1B in Cavia Cerebrum lysate using Polyclonal Antibody to Cyclin Dependent Kinase Inhibitor 1B (CDKN1B)