# antibodies -online.com





## anti-CALY antibody (AA 1-63)

2 Images



#### Overview

Quantity:	100 μL
Target:	CALY
Binding Specificity:	AA 1-63
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CALY antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

### **Product Details**

Purpose:	Polyclonal Antibody to Calcyon Neuron Specific Vesicular Protein (CALY)
Immunogen:	Recombinant Calcyon Neuron Specific Vesicular Protein (CALY) corresdonding to Met1~Asn63
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CALY. It has been selected for its ability to recognize CALY in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


### **Target Details**

Expiry Date:

Target Details	
Target:	CALY
Alternative Name:	Calcyon Neuron Specific Vesicular Protein (CALY Products)
Background:	DRD1IP, CALCYON, NSG3, Dopamine Receptor D1 Interacting Protein
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without


detectable loss of activity. Avoid repeated freeze-thaw cycles.

24 months



### **Immunohistochemistry**

Image 1. #VALUE!



### **Western Blotting**

**Image 2.** Detection of Recombinant CALY, Human using Polyclonal Antibody to Calcyon Neuron Specific Vesicular Protein (CALY)