antibodies -online.com





anti-Glutathione Peroxidase 6 antibody (AA 20-221)

2 Images



Go to Product page

\sim							
	1//	$rac{1}{2}$	`\/	L	Р	1	٨

Quantity:	100 μL
Target:	Glutathione Peroxidase 6 (GPX6)
Binding Specificity:	AA 20-221
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Glutathione Peroxidase 6 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Glutathione Peroxidase 6, Olfactory (GPX6)
Immunogen:	Recombinant Glutathione Peroxidase 6, Olfactory (GPX6) corresdonding to Gln20~Gln221 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against GPX6. It has been selected for its ability to recognize GPX6 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	Glutathione Peroxidase 6 (GPX6)	
Alternative Name:	Glutathione Peroxidase 6, Olfactory (GPX6 Products)	
Background:	GSHPx-6	
Pathways:	Thyroid Hormone Synthesis	

Application Details


Application Notes:

	$20\ \mu g/mL$ Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Western blotting: $0.5-2 \mu g/mL$ Immunohistochemistry: $5-20 \mu g/mL$ Immunocytochemistry: $5-20 \mu g/mL$


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant GPX6, Mouse using Polyclonal Antibody to Glutathione Peroxidase 6, Olfactory (GPX6)