



[Go to Product page](#)

Datasheet for ABIN7445393
anti-EIF2S1 antibody (AA 1-239)

2 Images

Overview

Quantity:	100 µL
Target:	EIF2S1
Binding Specificity:	AA 1-239
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This EIF2S1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Eukaryotic Translation Initiation Factor 2 Subunit 1 (EIF2S1)
Immunogen:	Recombinant Eukaryotic Translation Initiation Factor 2 Subunit 1 (EIF2S1) corresponding to Met1~Thr239
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against EIF2S1. It has been selected for its ability to recognize EIF2S1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details


Target:	EIF2S1
Alternative Name:	Eukaryotic Translation Initiation Factor 2 Subunit 1 (EIF2S1 Products)
Background:	EIF-2, EIF-2A, EIF-2alpha, EIF2, EIF2A, Eukaryotic translation initiation factor 2 subunit alpha
Pathways:	Ribonucleoprotein Complex Subunit Organization , ER-Nucleus Signaling , Hepatitis C

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL Immunohistochemistry: 5-20 µg/mL Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant EIF2S1, Human using Polyclonal Antibody to Eukaryotic Translation Initiation Factor 2 Subunit 1 (EIF2S1)