# antibodies -online.com





## anti-EIF4A1 antibody (AA 1-271)

2 Images



Go to Product page

#### Overview

Quantity:	100 μL
Target:	EIF4A1
Binding Specificity:	AA 1-271
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This EIF4A1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

### **Product Details**

Purpose:	Polyclonal Antibody to Eukaryotic Translation Initiation Factor 4A1 (EIF4A1)
Immunogen:	Recombinant Eukaryotic Translation Initiation Factor 4A1 (EIF4A1) corresdonding to Met1~Thr271 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against EIF4A1. It has been selected for its ability to recognize EIF4A1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Storage:

Expiry Date:

Storage Comment:


Target Details	
Target:	EIF4A1
Alternative Name:	Eukaryotic Translation Initiation Factor 4A1 (EIF4A1 Products)
Background:	DDX2A, EIF-4A, EIF4A, ATP-dependent RNA helicase eIF4A-1
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	1:250-1000 Immunohistochemistry: 5-20 μg/mL
	1:25-100 Immunocytochemistry: 5-20 μg/mL
	1:25-100 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.

detectable loss of activity. Avoid repeated freeze-thaw cycles.

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without


4 °C,-20 °C

24 months



### **Immunohistochemistry**

Image 1. #VALUE!



### **Western Blotting**

**Image 2.** Detection of Recombinant EIF4A1, Human using Polyclonal Antibody to Eukaryotic Translation Initiation Factor 4A1 (EIF4A1)