

Datasheet for ABIN7445495
anti-ACAT1 antibody (AA 111-427)[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	ACAT1
Binding Specificity:	AA 111-427
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ACAT1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Acetyl Coenzyme A Acetyltransferase 1 (ACAT1)
Immunogen:	Recombinant Acetyl Coenzyme A Acetyltransferase 1 (ACAT1) corresponding to Ala111~Leu427
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ACAT1. It has been selected for its ability to recognize ACAT1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details


Target:	ACAT1
Alternative Name:	Acetyl Coenzyme A Acetyltransferase 1 (ACAT1 Products)
Background:	THIL, ACAT, T2, MAT, Acetoacetyl Coenzyme A Thiolase

Application Details

Application Notes:	Western blotting: 0.2-2 µg/mL 1:250-2500 Immunohistochemistry: 5-20 µg/mL 1:25-100 Immunocytochemistry: 5-20 µg/mL 1:25-100 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. Detection of ACAT1 in Human Kidney Tissue using Polyclonal Antibody to Acetyl Coenzyme A Acetyltransferase 1 (ACAT1)



Immunohistochemistry

Image 2. Detection of ACAT1 in Human Lymph node Tissue using Polyclonal Antibody to Acetyl Coenzyme A Acetyltransferase 1 (ACAT1)