

Datasheet for ABIN7445570
anti-CXCL3 antibody (AA 41-113)[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	CXCL3
Binding Specificity:	AA 41-113
Reactivity:	Horse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CXCL3 antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Western Blotting (WB), Immunocytochemistry (ICC), Immunoprecipitation (IP)

Product Details

Purpose:	Polyclonal Antibody to Chemokine (C-X-C Motif) Ligand 3 (CXCL3)
Immunogen:	Recombinant Chemokine (C-X-C Motif) Ligand 3 (CXCL3) corresponding to Ala41~Asn113 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CXCL3. It has been selected for its ability to recognize CXCL3 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	CXCL3
---------	-------

Target Details


Alternative Name:	Chemokine (C-X-C Motif) Ligand 3 (CXCL3 Products)
Background:	GROg, SCYB3, GRO3, GRO-G, MIP2-B, MIP2b, CINC2b, CINC2b, Growth Regulated Oncogene Gamma, Macrophage inflammatory protein 2-beta
Pathways:	Cellular Response to Molecule of Bacterial Origin, Autophagy

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL Immunohistochemistry: 5-20 µg/mL Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Western Blotting

Image 1. Detection of Recombinant GROg, Equine using Polyclonal Antibody to Chemokine (C-X-C Motif) Ligand 3 (CXCL3)