## antibodies -online.com





## anti-PICP antibody



Overview	/

Quantity:	100 μL
Target:	PICP
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PICP antibody is un-conjugated
Application:	Western Blotting (WB), Immunocytochemistry (ICC), Immunohistochemistry (IHC), Immunoprecipitation (IP)

## **Product Details**

Purpose:	Polyclonal Antibody to Procollagen I C-Terminal Propeptide (PICP)	
Immunogen:	OVA Conjugated Procollagen I C-Terminal Propeptide (PICP)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against PICP. It has been selected for its ability to recognize PICP in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	
Target Details		
Target:	PICP	

## **Target Details**

5		
Alternative Name:	Procollagen I C-Terminal Propeptide (PICP Products)	
Background:	P1CP, C-Propeptide Of Type I Procollagen, Procollagen I Carboxy Terminal Propeptide	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	1:500-2000 Immunohistochemistry: 5-20 µg/mL	
	1:50-200 Immunocytochemistry: 5-20 µg/mL	
	1:50-200 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	