antibodies - online.com







anti-SLIT2 antibody (AA 664-777)

Images



Overview

| Quantity: | 100 μL |
|----------------------|--|
| Target: | SLIT2 |
| Binding Specificity: | AA 664-777 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This SLIT2 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details

| Purpose: | Polyclonal Antibody to Slit Homolog 2 (Slit2) |
|-------------------|---|
| | |
| Immunogen: | Recombinant Slit Homolog 2 (Slit2) corresdonding to Asn664~Lys777 with N-terminal His Tag |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against Slit2. It has been selected for its |
| | ability to recognize Slit2 in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Pig |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |

Target Details


| Target: | SLIT2 |
|-------------------|--|
| Alternative Name: | Slit Homolog 2 (SLIT2 Products) |
| Background: | SLIL3 |
| Pathways: | Regulation of Actin Filament Polymerization, Regulation of Cell Size, Smooth Muscle Cell Migration |

Application Details

| Application Notes: | Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user. |
|--------------------|---|
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| Restrictions: | For Research Use only |


Handling

| Format: | Liquid |
|--------------------|---|
| Buffer: | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |




Immunohistochemistry

Image 1. Detection of Slit2 in Human Pancreas Tissue using Polyclonal Antibody to Slit Homolog 2 (Slit2)



Immunohistochemistry

Image 2. Detection of Slit2 in Human Kidney Tissue using Polyclonal Antibody to Slit Homolog 2 (Slit2)



Immunohistochemistry

Image 3. Detection of Slit2 in Human Colon Tissue using Polyclonal Antibody to Slit Homolog 2 (Slit2)