# antibodies .- online.com





## Rabbit anti-Goat IgG (Fc Region) Antibody (HRP) - Preadsorbed



Go to Product page

( )	ve	K\ /		A .
	$\cup$	1 V/	Щ.	V۷

Quantity:	0.5 mg
Target:	IgG
Binding Specificity:	Fc Region
Reactivity:	Goat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	HRP
Application:	ELISA, Immunohistochemistry (IHC), Western Blotting (WB), Immunocytochemistry (ICC)

#### **Product Details**

Purpose:	Rabbit anti-Goat IgG-Fc Fragment Cross-Adsorbed Antibody HRP Conjugated	
Isotype:	IgG	
No Cross-Reactivity:	Chicken, Horse, Human, Mouse, Pig, Rat	
Cross-Reactivity (Details):	Less than 1% cross reactivity to chicken, human, mouse, horse, pig, and rat IgG was detected.	
Characteristics: IgG is the primary immunoglobulin protein found in blood/plasma, and functions to neutr toxins, active complement, immobilizing pathogens and inducing opsonization, and cell-mediated cytotoxicity. The anti-Fc activity ensures activity only to the Fc portion of the Igmolecule and not the Fab fragments on the light chain.		
Purification:	Preadsorption: Cross-Adsorbed	

#### Target Details

Target:	IgG
Abstract:	IgG Products
Target Type:	Antibody

### **Application Details**

Application Notes:	IHC: 1:200 - 1:5,000	
	ICC: 1:200 - 1:5,000	
	WB: 1:5,000 - 1:50,000	
	ELISA: 1:10,000 - 1:100,000	

Restrictions: For Research Use only

### Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Phosphate Buffered Saline (PBS) containing 0.05 % Pro-Clean 400
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	2 - 8°C
Expiry Date:	12 months