# antibodies -online.com





## SARS-CoV-2 Spike Protein (BA.4 - Omicron, BA.5 - Omicron) (Biotin, His-Avi Tag)



Go to Product page

( )	11/0	K\ /	iew
	$\cup$	'I V/I	$I \cap VV$

Quantity:	200 μg
quartity.	200 pg
Target:	SARS-CoV-2 Spike
Protein Characteristics:	BA.4 - Omicron, BA.5 - Omicron
Origin:	SARS Coronavirus-2 (SARS-CoV-2), SARS CoV-2 Omicron
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate: This SARS-CoV-2 Spike protein is labelled with Biotin, His-Avi Tag.	

#### **Product Details**

Purpose:	Biotinylated SARS-CoV-2 Spike NTD Protein, His,Avitag™ (BA.4 & BA.5/Omicron) (MALS verified)	
Sequence:	Ser 13 - Leu 303	
Characteristics:	Biotinylated SARS-CoV-2 Spike NTD, His,Avitag™ (BA.4 & BA.5/Omicron) is expressed from human 293 cells (HEK293). It contains AA Ser 13 - Leu 303 (Accession # QHD43416.1 (T19I, LPP24-26del, A27S, HV69-70del, G142D, V213G). The spike mutations are identified on the SARS-CoV-2 Omicron variant (Pango lineage: BA.4 and BA.5).	
Purity:	95,00 %	
Endotoxin Level:	1.0 EU per μg	
Grade:	MALS verified	

#### **Target Details**

Target: SARS-CoV-2 Spike

### **Target Details**

Abstract:	SARS-CoV-2 Spike Products	
Background:	Synonyms:S1 protein NTD,Spike protein S1 NTD,BetaCoV S1-NTD,Description:It's been reported	
	that Coronavirus can infect the human respiratory epithelial cells through interaction with the	
	human ACE2 receptor. The spike protein is a large type I transmembrane protein containing	
	two subunits, S1 and S2. S1 mainly contains a receptor binding domain (RBD), which is	
	responsible for recognizing the cell surface receptor. S2 contains basic elements needed for	
	the membrane fusion. The S protein plays key parts in the induction of neutralizing-antibody and	
	T-cell responses, as well as protective immunity.	
Molecular Weight:	34.4 kDa	
Application Details		
Comment:	This protein carries a polyhistidine tag at the C-terminus, followed by an Avi tag (Avitag™). The	
	protein has a calculated MW of 34.4 kDa. The protein migrates as 55-66 kDa under reducing (R)	
	condition (SDS-PAGE) due to glycosylation.	
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Buffer:	DDC all 7.4	
buller:	PBS, pH 7.4	
Storage:	-20 °C	
Storage Comment:	-20°C	