## antibodies -online.com





## SARS-CoV-2 Spike Protein (Trimer, XBB - Omicron) (His tag)



Go to Product page

0	1 /	-	r.	/1	01	A /
	1//	$\vdash$	I \	/ I	-	<b>\/\/</b>

Quantity:	50 μg
Target:	SARS-CoV-2 Spike
Protein Characteristics:	Trimer, XBB - Omicron
Origin:	SARS Coronavirus-2 (SARS-CoV-2), SARS CoV-2 Omicron
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SARS-CoV-2 Spike protein is labelled with His tag.

## **Product Details**

1 Toddet Details	
Purpose:	SARS-CoV-2 Spike Trimer Protein, His Tag (XBB.1/Omicron) (MALS verified)
Sequence:	Val 16 - Pro 1213
Characteristics:	SARS-CoV-2 Spike Trimer, His Tag (XBB.1/Omicron) is expressed from human 293 cells
	(HEK293). It contains AA Val 16 - Pro 1213 (Accession # QHD43416.1 (T19I, LPP24-26del,
	A27S, V83A, G142D, Y144del, H146Q, Q183E, V213E, G252V, G339H, R346T, L368I, S371F,
	S373P, S375F, T376A, D405N, R408S, K417N, N440K, V445P, G446S, N460K, S477N, T478K,
	E484A, F486S, F490S, Q498R, N501Y, Y505H, D614G, H655Y, N679K, P681H, N764K, D796Y,
	Q954H, N969K, R683A, R685A, F817P, A892P, A899P, A942P, K986P, V987P).
Purity:	95,00 %
Endotoxin Level:	1.0 EU per μg
Grade:	MALS verified

## Target Details

Target:	SARS-CoV-2 Spike	
Abstract:	SARS-CoV-2 Spike Products	
Background:	Synonyms:Spike,S protein,Spike glycoprotein,S glycoprotein,Description:It's been reported that	
	coronavirus can infect the human respiratory epithelial cells through interaction with the human	
	ACE2 receptor. The spike protein is a large type I transmembrane protein containing two	
	subunits, S1 and S2. S1 mainly contains a receptor binding domain (RBD), which is responsible	
	for recognizing the cell surface receptor. S2 contains basic elements needed for the membrane	
	fusion. The S protein plays key parts in the induction of neutralizing-antibody and T-cell	
	responses, as well as protective immunity.	
Molecular Weight:	137.8 kDa	
Application Details		
Comment:	This protein carries a polyhistidine tag at the C-terminus. The protein has a calculated MW of	
	137.8 kDa. The protein migrates as 160-190 kDa under reducing (R) condition (SDS-PAGE) due	
	to glycosylation.	
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Buffer:	PBS	
Storage:	-20 °C	
Storage Comment:	-20°C	