



[Go to Product page](#)

## Datasheet for ABIN7448862 **anti-WDR20 antibody (AA 450-500)**

### Overview

Quantity:	25 µg
Target:	WDR20
Binding Specificity:	AA 450-500
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This WDR20 antibody is un-conjugated
Application:	Immunohistochemistry (IHC)

### Product Details

Purpose:	Rabbit anti-WDR20 IHC Antibody, Affinity Purified
Immunogen:	Between AA 450 and 500
Isotype:	IgG
Predicted Reactivity:	Mouse,Rat,Chicken,Turkey,Rabbit,Orangutan,Monkey,Gorilla,Chimpanzee,Duckbill platypus,West Indian ocean coelacanth,Crab-eating macaque,White-tufted-ear marmoset,Medaka fish,Green anole,Japanese pufferfish,Small-eared galago,Chinese hamster,Zebra finch,Nile tilapia,Thirteen-lined ground squirrel,Three-spined stickleback,Northern white-cheeked gibbon
Purification:	Affinity Purified

## Target Details

Target:	WDR20
Alternative Name:	WDR20 ( <a href="#">WDR20 Products</a> )
Background:	Background: WDR20 (WD repeat-containing protein 20) contains five WD repeats and is a member of the WD family of proteins. The WD repeat is defined by four or more repeating units of a conserved core of approximately 40 amino acids ending with tryptophan-aspartic acid (WD). WD repeats may serve as sites of protein-protein interaction for adaptor proteins and facilitate multiprotein complex formation. WD proteins are involved in a variety of cellular processes. The function of WDR20 has not been characterized.
Gene ID:	91833
UniProt:	<a href="#">Q8TBZ3</a>

## Application Details

Application Notes:	1:100 - 1:500
Restrictions:	For Research Use only

## Handling

Concentration:	250 µg/mL
Buffer:	Tris-buffered Saline containing 0.1 % BSA and 0.09 % Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Expiry Date:	12 months