

Datasheet for ABIN7450015 anti-ATR antibody (AA 400-450)



Overview

Uverview	
Quantity:	100 μg
Target:	ATR
Binding Specificity:	AA 400-450
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ATR antibody is un-conjugated
Application:	Western Blotting (WB), Immunoprecipitation (IP)
Product Details	
Purpose:	Rabbit anti-ATR Antibody, Affinity Purified
Immunogen:	between AA 400 and 450
Isotype:	IgG
Purification:	Affinity Purified
Target Details	
Target:	ATR
Alternative Name:	ATR (ATR Products)
Background:	Background: ATR (ATM and Rad3 related) is closely related to ATM (Ataxia telangiectasia,
	mutated) and is a member of the phosphatidylinositol 3 kinase (PI-3) family that is an early

Precaution of Use:

Storage:

Expiry Date:

Target Details	
	sensor of DNA damage. ATR is a serine-threonine kinase that reacts to UV damage and interruptions in replication. ATR may be able to sense DNA damage through interaction with Rad17 and 1as well as components of nucleosome remodeling complexes. In response to DNA damage, ATR has been shown to phosphorylate a multitude of substrates which include BRCA1, p53, Chk2, Rad 17, and E2F transcription factor 1.
Gene ID:	545
NCBI Accession:	NP_001175
UniProt:	Q13535
Pathways:	Positive Regulation of Response to DNA Damage Stimulus
Application Details	
Application Notes:	IP: 2 - 10 μg/mg lysate
	WB: 1:2,000 - 1:10,000
Restrictions:	For Research Use only
Handling	
Concentration:	1000 μg/mL
Buffer:	Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09 % Sodium Azide
Preservative:	Sodium azide

This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which

should be handled by trained staff only.

4°C

12 months