

## Datasheet for ABIN7450489

## anti-NFATC3 antibody (AA 100-150)



Go to Product page

_				
( )	ve.	rv/	101	Λ

Quantity:	100 μg	
Target:	NFATC3	
Binding Specificity:	AA 100-150	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This NFATC3 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunoprecipitation (IP)	
Product Details		
Purpose:	Rabbit anti-NFATc3 Antibody, Affinity Purified	
Purpose: Immunogen:	Rabbit anti-NFATc3 Antibody, Affinity Purified between AA 100 and 150	
Immunogen:	between AA 100 and 150	
Immunogen: Isotype:	between AA 100 and 150	
Immunogen: Isotype: Predicted Reactivity:	between AA 100 and 150  IgG  Mouse	
Immunogen: Isotype: Predicted Reactivity: Purification:	between AA 100 and 150  IgG  Mouse	
Immunogen: Isotype: Predicted Reactivity: Purification: Target Details	between AA 100 and 150  IgG  Mouse  Affinity Purified	
Immunogen: Isotype: Predicted Reactivity: Purification: Target Details Target:	between AA 100 and 150  IgG  Mouse  Affinity Purified  NFATC3	

## **Target Details**

	NFAT family of transcription factors which includes NFAT1 (NFATp/NFATc2), NFAT2	
	(NFATc/NFATc1), NFAT3 (NFATc4), and NFAT4 (NFATc3/NFATx). Different members of the	
	NFAT family are expressed in a distinct but overlapping set of cell types. NFATc3 plays a role in	
	the inducible expression of cytokine genes in T-cells, especially in the induction of IL-2.	
Gene ID:	4775	
NCBI Accession:	NP_775188	
UniProt:	Q12968	
Pathways:	RTK Signaling, WNT Signaling, Fc-epsilon Receptor Signaling Pathway, Chromatin Binding	
Application Details		
Application Notes:	IP: 2 - 10 μg/mg lysate	
	WB: 1:2,000 - 1:10,000	
Restrictions:	For Research Use only	
Handling		
Concentration:	1000 μg/mL	
Buffer:	Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09 % Sodium Azide	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	4 °C	
Expiry Date:	12 months	