# antibodies .- online.com







## anti-THOC7 antibody (AA 154-204)



#### Overview

| Quantity:            | 100 μg  |
|----------------------|---|
| Target:              | TH0C7   |
| Binding Specificity: | AA 154-204                                      |
| Reactivity:          | Human   |
| Host:                | Rabbit  |
| Clonality:           | Polyclonal                                      |
| Conjugate:           | This THOC7 antibody is un-conjugated            |
| Application:         | Western Blotting (WB), Immunoprecipitation (IP) |

#### **Product Details**

| Purpose:              | Rabbit anti-THOC7 Antibody, Affinity Purified |
|-----------------------|---|
| Immunogen:            | Between AA 154 and 204                        |
| Isotype:              | IgG   |
| Predicted Reactivity: | Bovine  |
| Purification:         | Affinity Purified                             |

### Target Details

| Target:           | THOC7   |
|-------------------|---|
| Alternative Name: | THOC7 (THOC7 Products)  |
| Background:       | Background: THO complex subunit 7 homolog, encoded by the gene THOC7, is required for |

### **Target Details**

Expiry Date:

| - Target Details    |  |
|---------------------|--|
|                     | efficient export of polyadenylated RNA. THOC7 acts as a component of the THO subcomplex of the TREX complex. This complex is thought to couple mRNA transcription, processing and nuclear export [taken from UniProtKB (Entry: Q6I9Y2)]. |
| Gene ID:            | 80145  |
| UniProt:            | Q619Y2   |
| Application Details |  |
| Application Notes:  | IP: 2 - 10 μg/mg lysate  |
|                     | WB: 1:2,000 - 1:10,000   |
| Restrictions:       | For Research Use only  |
| Handling            |  |
| Concentration:      | 1000 μg/mL   |
| Buffer:             | Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09 % Sodium Azide  |
| Preservative:       | Sodium azide   |
| Precaution of Use:  | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which  |
|                     | should be handled by trained staff only.   |
| Storage:            | 4 °C   |
|                     |  |

12 months