antibodies .- online.com





anti-Receptor Accessory Protein 4 antibody (AA 200-225)



Go to Product page

| \sim | | | |
|--------|-----|------|-----|
| | N/P | r\/I | i⊢₩ |

| 100 μg |
|---|
| Receptor Accessory Protein 4 (REEP4) |
| AA 200-225 |
| Human |
| Rabbit |
| Polyclonal |
| This Receptor Accessory Protein 4 antibody is un-conjugated |
| Immunoprecipitation (IP) |
| |

Product Details

| Purpose: | Rabbit anti-REEP4 Antibody, Affinity Purified |
|-----------------------|---|
| Immunogen: | Between AA 200 and 225 |
| Isotype: | IgG |
| Predicted Reactivity: | Orangutan |
| Purification: | Affinity Purified |

Target Details

| Target: | Receptor Accessory Protein 4 (REEP4) | |
|-------------------|--|--|
| Alternative Name: | REEP4 (REEP4 Products) | |
| Background: | Background: REEP4 may enhance the cell surface expression of odorant receptors (By | |

Target Details

| | similarity) [taken from the Universal Protein Resource (UniProt) Q9H6H4]. | |
|-----------------|---|--|
| Gene ID: | 80346 | |
| NCBI Accession: | NP_079508 | |
| UniProt: | Q9H6H4 | |

Application Details

| Application Notes: | IP: 2 - 10 μg/mg lysate | |
|--------------------|---|--|
| | WB: Not recommended. ABIN7451062 has not performed satisfactorily when used for WB of | |
| | REEP4 in crude preparations (e.g. whole cell lysate). This antibody can be used for WB of | |
| | enriched (e.g. immunoprecipitated) sources of REEP4. | |
| Restrictions: | For Research Use only | |

Handling

| Concentration: | 1000 μg/mL | |
|--------------------|--|--|
| Buffer: | Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09 % Sodium Azide | |
| Preservative: | Sodium azide | |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. | |
| Storage: | 4 °C | |
| Expiry Date: | 12 months | |