

## Datasheet for ABIN745150

## anti-MARCKS antibody (pSer162) (Biotin)



## Overview

Overview	
Quantity:	100 μL
Target:	MARCKS
Binding Specificity:	pSer162
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MARCKS antibody is conjugated to Biotin
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry
	(Frozen Sections) (IHC (fro))
Product Details	
Immunogen:	KLH conjugated synthetic phosphopeptide derived from human MARCKS around the
	phosphorylation site of Ser162
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Cow,Pig,Chicken
Purification:	Purified by Protein A.
Target Details	
Target:	MARCKS
Alternative Name:	MARCKS (MARCKS Products)

## **Target Details**

Expiry Date:

12 months

rarget betails	
Background:	Synonyms: 80 kDa protein, 80K L, 80K L protein, 80K-L protein, 80KL, 81 kDa protein, light chain,
	light chain, MACS, MARCKS, MARCS, MARCS_HUMAN, MGC52672, myristoylated alanine rich C
	kinase substrate, Myristoylated alanine rich protein kinase C substrate MARCKS, 80K L,
	Myristoylated alanine rich protein kinase C substrate, Myristoylated alanine-rich C-kinase
	substrate, Phosphomyristin, PKCSL, PRKCSL, protein kinase C substrate 80 kDa protein light
	chain, Protein kinase C substrate.
	Background: MARCKS, (Myristoylated Alanine-Rich C Kinase Substrate), is a member of a
	family of calmodulin binding proteins and is a major substrate for phosphorylation by protein
	kinase C (PKC). The phosphorylation of Ser152/156 can be used as a measure of PKC
	activation. Phosphorylation of Ser152/156 modulates the binding of MARCKS to calmodulin.
Gene ID:	4082
Application Details	
Application Notes:	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.