

[Go to Product page](#)

## Datasheet for ABIN7452160 **anti-WDR33 antibody (AA 950-1000)**

### Overview

|                      |   |
|----------------------|---|
| Quantity:            | 20 µg   |
| Target:              | WDR33   |
| Binding Specificity: | AA 950-1000                                     |
| Reactivity:          | Human   |
| Host:                | Rabbit  |
| Clonality:           | Polyclonal                                      |
| Conjugate:           | This WDR33 antibody is un-conjugated            |
| Application:         | Western Blotting (WB), Immunoprecipitation (IP) |

### Product Details

|               |   |
|---------------|---|
| Purpose:      | Rabbit anti-WDR33 Antibody, Affinity Purified |
| Immunogen:    | between AA 950 and 1000                       |
| Isotype:      | IgG   |
| Purification: | Affinity Purified                             |

### Target Details

|                   |   |
|-------------------|---|
| Target:           | WDR33   |
| Alternative Name: | WDR33 ( <a href="#">WDR33 Products</a> )  |
| Background:       | Background: WDR33 is a member of the WD repeat protein family. The WD repeat is defined by four or more repeating units of a conserved core of approximately 40 amino acids ending with |

## Target Details

tryptophan-aspartic acid (WD). WD repeats may serve as sites of protein-protein interaction for adaptor proteins and facilitate multiprotein complex formation. Studies show that WDR33 is a nuclear protein that is highly expressed in testis, and it is suggested to play a role in cytodifferentiation or DNA recombination.

Gene ID: 55339

NCBI Accession: [NP\\_060853](#)

UniProt: [Q9C0J8](#)

## Application Details

Application Notes: IP: 2 - 5 µg/mg lysate  
WB: 1:2,000 - 1:10,000

Restrictions: For Research Use only

## Handling

Concentration: 200 µg/mL

Buffer: Tris-buffered Saline containing 0.1 % BSA and 0.09 % Sodium Azide

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C

Expiry Date: 12 months