



[Go to Product page](#)

Datasheet for ABIN7452204
anti-DOCK9 antibody (AA 1-50)

Overview

| | |
|----------------------|---|
| Quantity: | 20 µg |
| Target: | DOCK9 |
| Binding Specificity: | AA 1-50 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This DOCK9 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunoprecipitation (IP) |

Product Details

| | |
|---------------|---|
| Purpose: | Rabbit anti-DOCK9 Antibody, Affinity Purified |
| Immunogen: | between AA 1 and 50 |
| Isotype: | IgG |
| Purification: | Affinity Purified |

Target Details

| | |
|-------------------|--|
| Target: | DOCK9 |
| Alternative Name: | DOCK9 (DOCK9 Products) |
| Background: | Background: Deducator of cytokines 9 (DOCK9) is a Rho-GTPase guanine-nucleotide exchange factor (GEF) that activates Rho by catalyzing the exchange of GDP for GTP. DOCK9 is |

Target Details

responsible for activating Cdc42, a Rho family GTPase that is involved in cell polarity, gene expression, cell-cycle progression and cell-cell interactions.

Gene ID: 23348

NCBI Accession: [NP_056111](#)

UniProt: [Q9BZ29](#)

Application Details

Application Notes: IP: 2 - 5 µg/mg lysate
WB: 1:5,000 - 1:15,000

Restrictions: For Research Use only

Handling

Concentration: 200 µg/mL

Buffer: Tris-buffered Saline containing 0.1 % BSA and 0.09 % Sodium Azide

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C

Expiry Date: 12 months