

Datasheet for ABIN7453500 anti-GIT2 antibody (AA 500-550)



Overview

Overview	
Quantity:	100 μg
Target:	GIT2
Binding Specificity:	AA 500-550
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GIT2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunoprecipitation (IP), Immunohistochemistry (Formalin-fixed Paraffin-embedded Sections) (IHC (fp))
Product Details	
Durnoso:	Pabbit anti-CIT2 Antibody, Affinity Durified

Purpose:	Rabbit anti-GIT2 Antibody, Affinity Purified
Immunogen:	between AA 500 and 550
Isotype:	IgG
Predicted Reactivity:	Mouse
Purification:	Affinity Purified

Target Details

Target:	GIT2
Alternative Name:	GIT2 (GIT2 Products)

Target Details

rarget betails	
Background:	Background: G-protein-coupled receptor kinase interactor 1 (GIT1) and G-protein-coupled receptor kinase interactor 2 (GIT2) are GTPase-activating proteins for ADP-ribosylation (Arf) GTPases. GIT1 and GIT2 regulate Arf activity and the sequestration of activated G protein-coupled receptors from the surface of the cell. These activities have effects on multiple cellular processes such as cell migration, T-cell activation, and centrosome dynamics. Both GIT proteins also serve as scaffolds to link signaling molecules.
Gene ID:	9815
NCBI Accession:	NP_476510
UniProt:	Q14161
Pathways:	Regulation of G-Protein Coupled Receptor Protein Signaling
Application Details	
Application Notes:	IHC: 1:1,000 - 1:5,000. Epitope retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue sections. IP: 2 - 5 µg/mg lysate WB: Not recommended. Use rabbit anti-GIT2 antibody ABIN7451796.
Restrictions:	For Research Use only
Handling	
Concentration:	1000 μg/mL
Buffer:	Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09 % Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Expiry Date:	12 months