# antibodies - online.com







# anti-PPIG antibody (AA 375-325)



$\sim$					
()	VE	۲۱	/1	$\triangle$	Λ

Quantity:	20 μg
Target:	PPIG
Binding Specificity:	AA 375-325
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PPIG antibody is un-conjugated
Application:	Western Blotting (WB), Immunoprecipitation (IP), Immunohistochemistry (Formalin-fixed Paraffin-embedded Sections) (IHC (fp))

#### **Product Details**

Purpose:	Rabbit anti-SRcyp Antibody, Affinity Purified
Immunogen:	between AA 375 and 325
Isotype:	IgG
Purification:	Affinity Purified

#### **Target Details**

Target:	PPIG
Alternative Name:	SRcyp (PPIG Products)
Background:	Background: SR cyclophilin (SRcyp) is also known as peptidyl-prolyl cis-trans isomerase G.

Cyclophilins are peptidyl-prolyl isomerases (PPlases) that accelerate the folding of proteins by
catalyzing the cis-trans isomerization of proline imidic peptide bonds in oligopeptides. The
function of cyclophilins is poorly understood, but their function has been linked to multiple
cellular processes such as protein folding, trafficking, and chaperone activity. SRcyp is a
member of the Moca family of nuclear cyclophilins and is phosphorylated in a cell cycle
dependent manner. There is evidence that SRcyp may be involved in the regulation of gene
expression and mRNA splicing.

Gene ID:	9360
NCBI Accession:	NP_004783
UniProt:	Q13427

## **Application Details**

Application Notes:	IHC: 1:100 - 1:500. Epitope retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue
	sections.
	IP: 2 - 5 µg/mg lysate
	WB: 1:2,000 - 1:10,000

Restrictions:	For Research Use only
---------------	-----------------------

### Handling

Concentration:	200 μg/mL
Buffer:	Tris-buffered Saline containing 0.1 % BSA and 0.09 % Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Expiry Date:	12 months