



[Go to Product page](#)

Datasheet for ABIN7454074  
**ANGPTL7 Protein (AA 27-346) (Fc Tag)**

### Overview

Quantity:	100 µg
Target:	ANGPTL7
Protein Characteristics:	AA 27-346
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ANGPTL7 protein is labelled with Fc Tag.

### Product Details

Purpose:	Human ANGPTL7/CDT6 Protein
Sequence:	Gln27-Pro346
Characteristics:	Recombinant Human ANGPTL7/CDT6 Protein is expressed from HEK293 with hFc tag at the C-Terminus. It contains Gln27-Pro346.
Purity:	> 95 % as determined by Tris-Bis PAGE
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.

### Target Details

Target:	ANGPTL7
Alternative Name:	ANGPTL7 ( <a href="#">ANGPTL7 Products</a> )

## Target Details

---

Background:	Angiopoietin-like 7 (ANGPTL7), also known as Corneal-Derived Transcript 6 (CDT6), is a secreted glycoprotein that is structurally related to the angiopoietins. Members of this protein family contain an N-terminal coiled coil domain and a C-terminal fibrinogen-like domain. ANGPTL7 is expressed in the corneal stroma, trabecular meshwork, and sclera and is elevated in glaucoma aqueous humor. Its production is up-regulated in trabecular meshwork cells by glucocorticoids and TGF-beta and in cartilage by TNF-alpha.
Molecular Weight:	63.8 kDa. Due to glycosylation, the protein migrates to 70-80 kDa based on Tris-Bis PAGE result.
UniProt:	<a href="#">O43827</a>

## Application Details

---

Restrictions:	For Research Use only
---------------	-----------------------

## Handling

---

Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS ( pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,-2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months