-online.com antibodies

## Datasheet for ABIN7454138 IGF2R Protein (AA 47-1508) (His-Avi Tag)



	erview	
$() \times ( \cap$	K /1	O1 1 1
	4 V/I	$\Theta VV$
0,0	/I V I	

Quantity:	100 µg
Target:	IGF2R
Protein Characteristics:	AA 47-1508
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IGF2R protein is labelled with His-Avi Tag.

## Product Details

Purpose:	Human IGF2R Protein
Sequence:	Glu47-Met1508
Characteristics:	Recombinant Human IGF2R Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus.It contains Glu47-Met1508.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per $\mu g$ by the LAL method.

## Target Details

Target:	IGF2R
Alternative Name:	IGF2R (IGF2R Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7454138 | 01/18/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Background:	The cation-independent mannose-6-phosphate/insulin-like growth factor 2 receptor (M6P/IGF2R) is a multifunctional receptor. It is involved in a variety of cellular processes which become dysregulated in cancer.
Molecular Weight:	164.90 kDa. Due to glycosylation, the protein migrates to 165-200 kDa based on Tris-Bis PAGE result.
UniProt:	P11717
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu$ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS ( pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months