# antibodies -online.com





## MADCAM1 Protein (AA 19-317) (Fc Tag)



Go to Product page

#### Overview

Quantity:	100 μg
Target:	MADCAM1
Protein Characteristics:	AA 19-317
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This MADCAM1 protein is labelled with Fc Tag.

#### **Product Details**

Purpose:	Human MADCAM1 Protein
Sequence:	Gln19-Gln317
Characteristics:	Recombinant Human MADCAM1 Protein is expressed from HEK293 with hFc tag at the C-Terminus.It contains Gln19-Gln317.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 μm filtered
Endotoxin Level:	Less than 1EU per μg by the LAL method.
Biological Activity Comment:	Immobilized Human MADCAM1, hFc Tag at 0.5µg/ml (100µl/Well) on the plate. Dose response curve for Biotinylated Anti-MADCAM1 Antibody, hFc Tag with the EC50 of 12.3ng/ml determined by ELISA. See testing image for detail.

### **Target Details**

raiget Details	
Target:	MADCAM1
Alternative Name:	MADCAM1 (MADCAM1 Products)
Background:	Mucosal addressin cell adhesion molecule-1 (MAdCAM-1) contributes to the recruitment of donor T cells into the mucosal tissues of the recipient after allogeneic hematopoietic stem cell transplantation (aHSCT). The aim of our study was to determine whether selected single nucleotide polymorphisms (SNPs) of the MADCAM1 gene are associated with development of serious complications after aHSCT.
Molecular Weight:	58.17 kDa. Due to glycosylation, the protein migrates to 75-95 kDa based on Tris-Bis PAGE result.
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu$ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months