# antibodies .- online.com







# PLAU Protein (AA 21-433) (Biotin, His-Avi Tag)



( )	1/0	r\ / I	014	
( )	ve	I V I	-v	V

Quantity:	100 μg
Target:	PLAU
Protein Characteristics:	AA 21-433
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PLAU protein is labelled with Biotin,His-Avi Tag.

#### **Product Details**

Purpose:	Biotinylated Mouse PLAU/uPA Protein
Sequence:	Gly21-Phe433
Characteristics:	Recombinant Biotinylated Mouse PLAU/uPA Protein is expressed from HEK293 with His tag and Avi Tag at the C-Terminus.It contains Gly21-Phe433.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 μm filtered
Endotoxin Level:	Less than 1EU per μg by the LAL method.
Biological Activity Comment:	The affinity constant of 0.19 $\mu$ M as determined in SPR assay (Biacore T200). See testing image for detail.

### **Target Details**

Target:	PLAU
Alternative Name:	PLAU (PLAU Products)
Background:	Plasminogen activator, urokinase (uPA) is a secreted serine protease whose Dysregulation is often accompanied by various cancers. PLAU inhibition could suppress tumor growth.  Collectively, PLAU is necessary for tumor progression and can be a diagnostic and prognostic biomarker in HNSCC.
Molecular Weight:	49.00 kDa. Due to enzyme lysis and glycosylation, the protein migrates to 30-35 kDa based on Tris-Bis PAGE result.
UniProt:	P06869
Pathways:	Cellular Response to Molecule of Bacterial Origin, Carbohydrate Homeostasis, Autophagy, Smooth Muscle Cell Migration

## **Application Details**

Restrictions:

Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu$ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months

For Research Use only