

Datasheet for ABIN7454615

anti-NCOA2 antibody (C-Term)



_					
	1//	r	Vİ	\triangle	۸/
	V		VI		/ V

Quantity:	100 μg
Target:	NCOA2
Binding Specificity:	C-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NCOA2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunoprecipitation (IP), Immunohistochemistry (Formalin-fixed
	Paraffin-embedded Sections) (IHC (fp))
Product Details	
Purpose:	Rabbit anti-NCOA2/SRC2 Antibody, Affinity Purified
Immunogen:	between AA 1400 and C-term
Isotype:	IgG
Purification:	Affinity Purified
Target Details	
Target:	NCOA2
Alternative Name:	NCOA2/SRC2 (NCOA2 Products)

Gene ID:	10499
	white and brown adipose tissue.
	NCOA2 has been demonstrated to be important for the control of energy balance between
	chromatin remodeling and transcription factor recruitment, and to enhance gene expression.
	acetyltransferases and methyltransferases such as p300/CBP and CARM1 to facilitate
	p300/CBP-interacting protein (p/CIP). As Coactivators, this group of proteins helps recruit
	nuclear receptor coactivators that also includes steroid receptor coactivator-1 (SRC-1) and

NCBI Accession:	NP_006531
UniProt:	Q15596
Pathways:	Intracellular Steroid Hormone Receptor Signaling Pathway, Regulation of Intracellular Steroid
	Hormone Receptor Signaling, Nuclear Hormone Receptor Binding, Regulation of Lipid
	Metabolism by PPARalpha, Regulation of Leukocyte Mediated Immunity, Positive Regulation of
	Immune Effector Process, CXCR4-mediated Signaling Events, Thromboxane A2 Receptor

Application Details

Signaling

Application Notes:	IHC: 1:500 - 1:2,000. Epitope retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue		
	sections.		
	IP: 1 - 4 μg/mg lysate		
	WB: 1:2,000 - 1:10,000		
Restrictions:	For Research Use only		

Handling

Concentration:	1000 μg/mL
Buffer:	Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09 % Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Expiry Date:	12 months