

Datasheet for ABIN7454825 anti-FBXO38 antibody (AA 825-875)



_					
	W	0	rv	10	W

Overview		
Quantity:	100 μg	
Target:	FBXO38	
Binding Specificity:	AA 825-875	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This FBXO38 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunoprecipitation (IP), Immunohistochemistry (Formalin-fixed Paraffin-embedded Sections) (IHC (fp))	
Product Details		
Purpose:	Rabbit anti-FBXO38 Antibody, Affinity Purified	
Immunogen:	between AA 825 and 875	
Isotype:	IgG	
Purification:	Affinity Purified	
Target Details		
Target:	FBXO38	
Alternative Name:	FBXO38 (FBXO38 Products)	
Background:	Background: FBXO38 (F-box only protein 38) is a member of the the F-box protein family.	

Target Details

	Members of this family are characterized by an approximately 40-amino acid F-box motif. FBXO38 is also known as MoKA (modulator of KLF7 activity) and originally identified as a factor that super-stimulated the activity of the Kruppel-like zinc-finger protein, KLF7, which plays a role in the gene expression of genes encoding cell cycle regulators such as p21 Waf/Cip and p27
	kip.
Gene ID:	81545
NCBI Accession:	NP_995308
UniProt:	Q6PIJ6
Application Details	
Application Notes:	IHC: 1:500 - 1:2,000. Epitope retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue

Application Notes:	IHC: 1:500 - 1:2,000. Epitope retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue
	sections.
	IP: 5 - 10 μg/mg lysate
	WB: 1:2,000 - 1:10,000

For Research Use only

Handling

Restrictions:

Concentration:	1000 μg/mL
Buffer:	Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09 % Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Expiry Date:	12 months