

Datasheet for ABIN7454870 anti-SLTM antibody (AA 300-350)



Overview

| Overview | |
|----------------------|--|
| Quantity: | 20 μg |
| Target: | SLTM |
| Binding Specificity: | AA 300-350 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This SLTM antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunoprecipitation (IP), Immunohistochemistry (Formalin-fixed |
| | Paraffin-embedded Sections) (IHC (fp)) |
| Product Details | |
| Purpose: | Rabbit anti-SLTM Antibody, Affinity Purified |
| Immunogen: | between AA 300 and 350 |
| Isotype: | IgG |
| Purification: | Affinity Purified |
| Target Details | |
| Target: | SLTM |
| Alternative Name: | SLTM (SLTM Products) |
| Background: | Background: SLTM (SAFB-like transcriptional modulator) is part of a protein family that includes |
| | |

Target Details

| | at least two other family members, SAFB1 (scaffold attachment factor B1) and SAFB2 (scaffold attachment factor B2). Like SAFB1, SLTM is implicated to play a role in transcriptional repression and apoptosis. |
|-----------------|--|
| Gene ID: | 79811 |
| NCBI Accession: | NP_079031 |
| UniProt: | Q9NWH9 |

Application Details

| Application Notes: | IHC: 1:200 - 1:1,000. Epitope retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue |
|--------------------|---|
| | sections. |
| | IP: 2 - 5 μg/mg lysate |
| | WB: 1:2,000 - 1:10,000 |
| Restrictions: | For Research Use only |

Handling

| Concentration: | 200 μg/mL |
|--------------------|--|
| Buffer: | Tris-buffered Saline containing 0.1 % BSA and 0.09 % Sodium Azide |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C |
| Expiry Date: | 12 months |