

[Go to Product page](#)

Datasheet for ABIN7454974
anti-PSMC4 antibody (AA 368-418)

Overview

Quantity:	100 µg
Target:	PSMC4
Binding Specificity:	AA 368-418
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PSMC4 antibody is un-conjugated
Application:	Western Blotting (WB), Immunoprecipitation (IP), Immunohistochemistry (Formalin-fixed Paraffin-embedded Sections) (IHC (fp))

Product Details

Purpose:	Rabbit anti-PSMC4 Antibody, Affinity Purified
Immunogen:	Between AA 368 and 418
Isotype:	IgG
Predicted Reactivity:	Mouse,Rat,Bovine
Purification:	Affinity Purified

Target Details

Target:	PSMC4
Alternative Name:	PSMC4 (PSMC4 Products)

Target Details

Background:	Background: PSMC4 [proteasome (prosome, macropain) 26S subunit, ATPase, 4] is a member of the triple-A family of ATPases that is a component of the 19S regulatory subunit and plays a role in 26S proteasome assembly. The 26S proteasome is a multicatalytic proteinase complex with a highly ordered structure composed of 2 complexes, a 20S core and a 19S regulator. The 20S core is composed of 4 rings of 28 non-identical subunits, 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. The 19S regulator is composed of a base, which contains 6 ATPase subunits and 2 non-ATPase subunits, and a lid, which contains up to 10 non-ATPase subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. PSMC4 interacts with gankyrin, a liver oncoprotein, and may also play a role in Parkinson's disease through interactions with synphilin-1 [taken from NCBI Entrez Gene (Gene ID: 5704)].
Gene ID:	5704
NCBI Accession:	NP_006494
UniProt:	P43686
Pathways:	Mitotic G1-G1/S Phases , DNA Replication , Synthesis of DNA , Ubiquitin Proteasome Pathway

Application Details

Application Notes:	IHC: 1:500 - 1:2,000. Epitope retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue sections. IP: 2 - 10 µg/mg lysate WB: 1:1,000 - 1:5,000
Restrictions:	For Research Use only

Handling

Concentration:	1000 µg/mL
Buffer:	Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09 % Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C

Handling

Expiry Date: 12 months