

[Go to Product page](#)

## Datasheet for ABIN7455232 **anti-ZCCHC8 antibody (AA 1-50)**

### Overview

Quantity:	100 µg
Target:	ZCCHC8
Binding Specificity:	AA 1-50
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZCCHC8 antibody is un-conjugated
Application:	Western Blotting (WB), Immunoprecipitation (IP), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Formalin-fixed Paraffin-embedded Sections) (IHC (fp))

### Product Details

Purpose:	Rabbit anti-ZCCHC8 Antibody, Affinity Purified
Immunogen:	between AA 1 and 50
Isotype:	IgG
Purification:	Affinity Purified

### Target Details

Target:	ZCCHC8
Alternative Name:	ZCCHC8 ( <a href="#">ZCCHC8 Products</a> )

## Target Details

**Background:** Background: ZCCHC8 is a zinc-finger protein that bears a zinc-binding motif composed of a CX2CX4HX4C sequence (where X can be any amino acid). ZCCHC8 also bears a PSP domain, a proline rich domain found in numerous spliceosome associated proteins. ZCCHC8 has been identified as a component of the spliceosome C complex and as a substrate of glycogen synthase kinase-3. It is suggested to play a role in the processing and metabolism of RNA.

**Gene ID:** 55596

**NCBI Accession:** [NP\\_060082](#)

**UniProt:** [Q6NZY4](#)

## Application Details

**Application Notes:** IHC-IF: 1:1,000 - 1:5,000  
IHC: 1:2,000 - 1:10,000. Epitope retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue sections.  
IP: 2 - 5 µg/mg lysate  
WB: Not recommended. Use rabbit anti-ZCCHC8 antibody A301-806A.

**Restrictions:** For Research Use only

## Handling

**Concentration:** 1000 µg/mL

**Buffer:** Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09 % Sodium Azide

**Preservative:** Sodium azide

**Precaution of Use:** This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

**Storage:** 4 °C

**Expiry Date:** 12 months