

Datasheet for ABIN7455502

SARS-CoV-2 Spike Protein (BA.2 - Omicron, RBD) (Fc Tag)





The second secon

_				
()	ve.	rv/	101	Λ

Quantity:	10 μg
Target:	SARS-CoV-2 Spike
Protein Characteristics:	BA.2 - Omicron, RBD
Origin:	SARS Coronavirus-2 (SARS-CoV-2), SARS CoV-2 Omicron
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SARS-CoV-2 Spike protein is labelled with Fc Tag.
Purification tag / Conjugate:	This SARS-CoV-2 Spike protein is labelled with Fc Tag.

Product Details


Purpose:	Recombinant SARS-CoV-2 (Omicron BA.2) S-RBD protein with C-terminal human Fc tag	
Specificity:	S protein RBD (G339D, S371F, S373P, S375F, T376A, D405N, R408S, K417N, N440K, S477N, T478K, E484A, Q493R, Q498R, N501Y, Y505H) (Arg319-Phe541) hFc (Glu99-Ala330)	
Characteristics:	Extracellular Domain Protein	
Purification:	Purified from cell culture supernatant by affinity chromatography	
Purity:	The purity of the protein is greater than 95 % as determined by SDS-PAGE and Coomassie blue staining.	

Target Details

Target:	SARS-CoV-2 Spike
Abstract:	SARS-CoV-2 Spike Products

Target Details

rarget Betano		
Target Type:	Viral Protein	
Background:	SARS-CoV-2 (Severe Acute Respiratory Syndrome Coronavirus 2) also known as Covid19 (2019	
	Novel Coronavirus) is a virus that causes illnesses ranging from the common cold to severe	
	diseases. The spike protein is a type I transmembrane protein containing two subunits, S1 and	
	S2. S1 mainly contains a receptor binding domain (RBD), which accounts for recognizing the	
	cell surface receptor, ACE2. S2 contains basic elements needed for the membrane fusion.	
	Recent publications indicate that S1-RBD domain can induce virus neutralizing-antibody and T	
	cell response.	
Molecular Weight:	predicted molecular mass of 51.4 kDa after removal of the signal peptide. The apparent	
	molecular mass of S-RBD(Omicron BA.2)-hFc is 55-70 kDa due to glycosylation.	
UniProt:	P0DTC2	
Application Details		
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Buffer:	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants	
	before lyophilization.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for	
	use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).	
	Lyophilized proteins are shipped at ambient temperature.	
Expiry Date:	12 months	



SDS-PAGE

Image 1. SARS-CoV-2 (Omicron BA.2) S protein RBD, hFc Tag on SDS-PAGE under reducing condition.