

Datasheet for ABIN7456503
anti-CXCR4 antibody (APC)



[Go to Product page](#)

Overview

Quantity:	20 tests
Target:	CXCR4
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CXCR4 antibody is conjugated to APC
Application:	Flow Cytometry (FACS)

Product Details

Clone:	12G5
Isotype:	IgG2a, kappa

Target Details

Target:	CXCR4
Alternative Name:	CD184 (CXCR4 Products)
Background:	FB22,Fusin,HM89,LCR1,LAP-3,CD184, also known as fusin or CXCR4, is a 45 kD seven transmembrane G-protein-linked CXC chemokine receptor. CD184 is widely expressed on blood and tissue cells, including B and T cells, monocytes, macrophages, dendritic cells, granulocytes, megakaryocytes/platelets, lymphoid, myeloid precursor cells, endothelial cells, epithelial cells, astrocytes, and neurons, among other tissue cells. CD184 is the receptor for CXC chemokine SDF-1, mediates blood cell migration, and is involved in B lymphopoiesis and myelopoiesis,

Target Details

cardiogenesis, blood vessel formation, and cerebellar development. CXCR4 is also a coreceptor of X4 HIV-1 and an alternative receptor for some isolates of HIV-2.

Gene ID: 7852

UniProt: [P61073](#)

Pathways: [Regulation of Cell Size, CXCR4-mediated Signaling Events](#)

Application Details

Application Notes: The amount of the reagent is suggested to be used 5 µL of antibody per test (million cells in 100 µL staining volume or per 100 µL of whole blood). Check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Comment: Matching Isotype Control: APC Mouse IgG2a, κ Isotype Control (ABIN7469779)

Restrictions: For Research Use only

Handling

Buffer: PBS with 0.05 % Proclin300, 1 % BSA

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C

Storage Comment: Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.