

Datasheet for ABIN7457171 anti-CD51 antibody (PE)



Overview

Quantity:	25 μg
Target:	CD51 (ITGAV)
Reactivity:	Mouse
Host:	Rat
Clonality:	Monoclonal
Conjugate:	This CD51 antibody is conjugated to PE
Application:	Flow Cytometry (FACS)
Product Details	

Product Details

Clone:	RMV-7
Isotype:	lgG1, kappa

Target Details

Target:	CD51 (ITGAV)
Alternative Name:	CD51 (ITGAV Products)
Background:	Integrin alpha-V,αV integrin,Vitronectin Receptor,Integrin αV chain,ITGAV,CD51 is a 140 kD
	protein, also known as αV integrin, vitronectin receptor, and integrin $\alpha V.$ It is a member of the
	integrin family, expressed on activated T cells, polymorphonuclear granulocytes, platelets,
	blastocysts, and osteoclasts. CD51 forms heterodimers by association with integrins β 1, β 3,
	$\beta 5$ or $\beta 6$, these complexes then act as receptors for multiple extracellular matrix proteins
	(ECM). The avintegrin heterodimers have varied functions in development,

Target Details

	stimulation/activation and homeostasis. The primary ligands for CD51 complexes are fibronectin, fibrinogen, vitronectin, thrombspondin, von Willebrand factor, and CD31. The RMV-7 antibody has been reported to block binding of CD51 to vitronectin, fibronectin, and CD31 in some cell types, as well as blocking LAK cell cytotoxicity.
Gene ID:	16410
UniProt:	P43406
Pathways:	Cell-Cell Junction Organization, Signaling Events mediated by VEGFR1 and VEGFR2, Growth Factor Binding, Integrin Complex
Application Details	
Application Notes:	Check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. We suggest each investigator should titrate the reagent to obtain optimal results [The recommended concentration is 0.1-1 μ g/10^6 cells in 100 μ L volume].
Comment:	Matching Isotype Control: PE Rat IgG1, κ Isotype Control (ABIN7469822)
Restrictions:	For Research Use only
Handling	
Concentration:	0.2 mg/mL
Buffer:	PBS with 0.05 % Proclin300, 1 % BSA
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.