

Datasheet for ABIN7457319 anti-IgD antibody (PE-Cy5)



Overview

Gene ID:

UniProt:

| Overview | |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------|
| Quantity: | 25 μg |
| Target: | IgD |
| Reactivity: | Mouse |
| Host: | Rat |
| Clonality: | Monoclonal |
| Conjugate: | This IgD antibody is conjugated to PE-Cy5 |
| Application: | Flow Cytometry (FACS) |
| Product Details | |
| Clone: | 11-26c-2a |
| Isotype: | IgG2a, kappa |
| Target Details | |
| Target: | IgD |
| Abstract: | IgD Products |
| Target Type: | Antibody |
| Background: | Immunoglobulin heavy constant delta,IGHD,Ig delta chain C region,Surface IgD is an important B cell differentiation marker. |
| Cara ID: | 200707 |

380797

P01881

Application Details

| Application Notes: | Check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. We suggest each investigator should titrate the reagent to |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | obtain optimal results [The recommended concentration is 0.1-1 μ g/10^6 cells in 100 μ L volume]. |
| Comment: | Matching Isotype Control: PE/Cyanine5 Rat IgG2a, κ Isotype Control (ABIN7469843) |
| Restrictions: | For Research Use only |
| Handling | |
| | |
| Concentration: | 0.2 mg/mL |
| Concentration: Buffer: | 0.2 mg/mL PBS with 0.05 % Proclin300, 1 % BSA |
| | |
| Buffer: | PBS with 0.05 % Proclin300, 1 % BSA |
| Buffer: Preservative: | PBS with 0.05 % Proclin300, 1 % BSA ProClin This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be |