

Datasheet for ABIN7457710 anti-F4/80 antibody (PerCP-Cy5.5)



Go to Product page

\sim				
	1//	Д	rv	۱۸/

Quantity:	25 μg	
Target:	F4/80 (EMR1)	
Reactivity:	Mouse	
Host:	Rat	
Clonality:	Monoclonal	
Conjugate:	This F4/80 antibody is conjugated to PerCP-Cy5.5	
Application:	Flow Cytometry (FACS)	
Product Details		
Clone:	CI:A3-1	
Isotype:	IgG2b, kappa	
Target Details		
Target:	F4/80 (EMR1)	
Alternative Name:	F4/80 (EMR1 Products)	
Background:	Adhesion G protein-coupled receptor E1,Adgre1,Cell surface glycoprotein F4/80,EGF-like module receptor 1,Adgre1,Emr1, Gpf480,F4/80 is a 160 kD glycoprotein. It is characterized as a member of the epidermal growth factor (EGF)-transmembrane 7 (TM7) family. F4/80, also known as EMR1 or Ly71, has been widely used as a murine macrophage marker, which is expressed on the majority of tissue macrophages including peritoneal macrophages,	

macrophages in lung, gut, thymus and red pulp of spleen (but not on the macrophages located

Target Details

rarget Details	
	in T cell areas of the spleen, lymph node and Peyer's patch), Kuffer cells, Langerhans cells, and bone marrow stromal cells. F4/80 has also been shown on a subset of dendritic cells. The biological ligand of F4/80 has not been identified, but it has been reported that F4/80 is required for induction of CD8+ T cells-mediated peripheral tolerance.
Gene ID:	13733
UniProt:	Q61549
Application Details	
Application Notes:	Check your vial before the experiment. Since applications vary, the appropriate dilutions must

Application Notes:	Check your vial before the experiment. Since applications vary, the appropriate dilutions must		
	be determined for individual use. We suggest each investigator should titrate the reagent to		
	obtain optimal results [The recommended concentration is 0.1-1 μ g/10^6 cells in 100 μ L volume].		
Comment:	Matching Isotype Control: PerCP/Cyanine5.5 Rat IgG2b, к Isotype Control (ABIN7469865)		
Restrictions:	For Research Use only		

Handling

Concentration:	0.2 mg/mL	
Buffer:	PBS with 0.05 % Proclin300, 1 % BSA	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C	
Storage Comment:	Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.	