

Datasheet for ABIN745997

anti-CRTC2 antibody (pSer171) (HRP)



()	ve	rvi	6	W
\sim	v C	1 V I	\sim	v v

Overview		
Quantity:	100 μL	
Target:	CRTC2	
Binding Specificity:	pSer171	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CRTC2 antibody is conjugated to HRP	
Application:	Western Blotting (WB), ELISA	
Product Details		
Immunogen:	KLH conjugated synthetic phosphopeptide derived from human CREB regulated transcription	
	coactivator 2 around the phosphorylation site of Ser171	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Predicted Reactivity:	Rat,Dog,Pig	
Purification:	Purified by Protein A.	
Target Details		
Target:	CRTC2	
Alternative Name:	TORC2 (CRTC2 Products)	

Target Details

Background:	Synonyms: TORC2, TORC-2, CREB-regulated transcription coactivator 2, Transducer of	
	regulated cAMP response element-binding protein 2, Transducer of CREB protein 2, CRTC2	
	Background: Transcriptional coactivator for CREB1 which activates transcription through both	
	consensus and variant cAMP response element (CRE) sites. Acts as a coactivator, in the	
	SIK/TORC signaling pathway, being active when dephosphorylated and acts independently of	
	CREB1 'Ser-133' phosphorylation. Enhances the interaction of CREB1 with TAF4. Regulates	
	gluconeogenesis as a component of the LKB1/AMPK/TORC2 signaling pathway. Regulates the	
	expression of specific genes such as the steroidogenic gene, StAR. Potent coactivator of	
	PPARGC1A and inducer of mitochondrial biogenesis in muscle cells. Also coactivator for TAX	
	activation of the human T-cell leukemia virus type 1 (HTLV-1) long terminal repeats (LTR).	
Gene ID:	200186	
UniProt:	Q53ET0	
Pathways:	AMPK Signaling, Carbohydrate Homeostasis	
Application Details		
Application Notes:	WB 1:300-5000	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish	
	peroxidase.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	